

Universe	Professional
Туре	Lighting
Category	High performance headlamps
Subcategory	High performance headlamps



DUO RL

Designed for technical rescue and worksites, the DUO RL rechargeable headlamp provides 2800-lumen brightness. Using REACTIVE LIGHTING® technology, a sensor analyzes the ambient light and automatically adjusts brightness to your needs. Manual operation is minimized and burn time is optimized, so users can remain focused on their activity. The aluminum lamp body provides excellent impact resistance. The DUO RL is waterproof and ideal for use in wet environments.



Ultra-bright with 2800 lumens and multi-beam lighting to suit a wide variety of situations.



Aluminum lamp body provides excellent fall, crush, and impact resistance.



Dustproof, and waterproof in up to 1 meter of fresh water for 30 minutes.



Battery recharges in 4 hours with quick 110/240 V wall charger.



Short Description	Ultra-powerful, rechargeable multi-beam headlamp featuring REACTIVE LIGHTING® technology. 2800 lumens					
Selling Points	 Ultra-bright and intelligent: 2800 lumens Longer burn time, greater visual comfort and less manual operation with REACTIVE LIGHTING® mode, which allows the light sensor to automatically adjust brightness and beam pattern, optimizing battery usage Choice of two lighting modes: REACTIVE LIGHTING® or STANDARD LIGHTING and five lighting levels that can be programmed manually Survival mode provides a minimum light level for up to 72 hours Waterproof and durable: Dustproof and waterpoor in up to 3 meter of fresh water for 30 minutes Aluminum lamp body provides excellent fall, crush, and impact resistance Multi-beam lighting: low-intensity flood beam maximizes burn time Proximity lighting: invice beam with brightness suited for comfortable proximity vision Lighting for rapid movement: mixed beam includes focused lighting that allows for greater ease of movement Lighting for rapid movement: more powerful mixed beam allows users to anticipate the terrain Distance vision: highly focused beam for long-range vision Reliable and ergonomic: Rotary switch, operable even while wearing gloves Automatic lock function prevents the lamp from turning on during transit or storage Automatically switches to reserve lighting when the battery is almost drained Balanced, with the remote battery pack fixed at the back of the head Adaptable to most helmet types with PRO ADAPT adhesive plates (available as an accessory) Detachable, washable headband (included) Rechargeable battery: 3200 mAh Lithium-Ion battery, recharges in 4 hours with quick 110/240 V wall charger (included) Four-level gauge for precise monitoring of the battery charge level Removable and replaceable (available as an accessory) 					
Specification	 Brightness: 2800 lumens Weight: 390g Technology: REACTIVE LIGHTING® or STANDARD LIGHTING Beam pattern: Flood, mixed, or focused Energy: 3200 mAh / 7,4 V / 23,68 Wh Lithium-Ion battery (included) Charging Time: 4 h Certification(s): CE 					

- Watertightness: IP67 (waterproof in up to 3 meter of fresh water for 30 minutes)
 Headlamp comes with R2 Lithium-Ion rechargeable battery and 110/240 V charger.

Lighting Performance

				Lighting performance F	as defined by t L 1 protocol	he ANSI/PLATO	
Lighting Technology	Lighting Color	Lighting Levels	Beams	Brightness	Distance	Burn Time	Reserve Lighting (0.25 lux at 4 m)
	White	Close-Range Work	Wide	25 to 120 lm	18 m	24 to 72 h	
		Movement	Mixed	50 to 250 lm	32 m	12 to 38 h]
REACTIVE LIGHTING®		Rapid Movement		100 to 550 lm	75 m	6 to 24 h	
		Maximum Power		150 to 2800 lm	255 m	1.5 to 18 h	
		Distance Vision	Narrow	100 to 900 lm	235 m	3 to 24 h	25 lm for 2 h
		Close-Range Work	Wide	80 lm	16 m	24 h	23 111 101 2 11
		Movement	Mixed	200 lm	32 m	12 h	
STANDARD LIGHTING		Rapid Movement		450 lm	70 m	6 h	
		Maximum Power		1800 lm	200 m	1.5 h	
		Distance Vision	Narrow	700 lm	230 m	3 h	
Survival Mode]	Low	Wide	20 lm	8 m	72 h	_
		High	Mixed	100 lm	26 m	24 h	-

Specifications by reference

Reference(s)	E103AA00
Color(s)	Black/Yellow
Made in	FR
Guarantee	Lamp: 5 years, Rechargeable battery: 2 years (or 300 charging cycles)
Inner Pack Count	1
Quantity Per Box	10
EAN	3342540828926

Spare part(s)	Spare Headband for DUO R2 ACCU 2 Quick Charger PRO ADAPT Extension Cord for Headlamp					
Accessory(ies)						
Related product(s)	VERTEX® STRATO® Floor display for pro headlamps Rotating floor display for pro headlamps					

